

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 January 2009

(For the Period 1 January 2009 to 14 January 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-48401B	Ring, Obturating for 60MM Mortar [CUST: AR]	D	1310		AR	03-DEC-2008
M	MIL-DTL-60318C(3)	Propellant, M1 for use in Charge, Propelling, M67 for 105MM Howitzer [CUST: AR]	A	1376		AR	15-DEC-2008
M	MS21259J(2) NOT 1	Terminal, Wire Rope, Swaging, Stud, Long Thread [CUST: AS 99 GS5] [REVIEW: 71 MC]	A	1640		GS5	07-JAN-2009
M	MS21260M(4)	Terminal, Wire Rope, Swaging, Stud [CUST: AR AS 99 GS5] [REVIEW: 71 CR4 MC]	A	1640		GS5	07-JAN-2009
N	SAE-AS21432	Bearing, Roller, Needle, Track Roller, Integral Stud, Type VII, Antifriction, Inch [CUST: AT AS 99 GS4] [REVIEW: 84]	A	3110		GS4	05-JAN-2009
N	ASTM-B438	Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated) [CUST: AV AS 11 GS4]	A	3120		GS4	12-JAN-2009
M	QPL-81561-15 NOT 2	Life Preserver, Inflatable, Cemented, Aircrewman, (with Aramid Casing), Type LPU-21B/P	A	4220		AS	14-JAN-2009
M	MS28760E(1)	Fitting End, Straight, Attachable, Hydraulic and Pneumatic, High Pressure Hose 3,000 PSI, Flared Tube [CUST: AT AS 99 CC] [REVIEW: 71 AV CG MC MI SA SH]	A	4730		CC	08-JAN-2009
M	QPL-22052-27 NOT 1	Valve, Stop and Stop Check, Globe, Angle, and Y Pattern, Cast or Forged Carbon or Alloy Steel, Outside Screw and Yoke (Sizes 2-1/2 Inches and Larger) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4820		SH	12-JAN-2009
M	MIL-DTL-16685E	Packing, Material and Packing Preformed (Stuffing Tube for Electric Cables) [CUST: SH IS] [REVIEW: AS EC OS]	A	5330		IS	07-JAN-2009
M	QPL-19863-19 NOT 1	Mount, Resilient, Type 5B5000H (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5340		SH	12-JAN-2009
M	QPL-39005-67	Resistors, Fixed, Wire-Wound (Accurate), Nonestablished Reliability, Established Reliability, General Specification for	A	5905		CR	05-JAN-2009
M	A-A-55519/1C	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), Very Fast Acting, with End Caps [CUST: EC CC]	A	5920	/	CC	09-JAN-2009
M	MIL-PRF-24236D SUP 1A	Switches, Thermostatic, (Metallic and Bimetallic), General Specification For [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS SH]	A	5930		CC	07-JAN-2009
M	MIL-DTL-24308/26L	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Screw-Lock Assembly, Female [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	07-JAN-2009
M	MS27266B	Insert, Electrical Connector - Ramp Power, 416/240 Volts, Male [CUST: 85 CC]	A	5935		CC	07-JAN-2009
M	MS27282B	Insert, Electrical Connector - Ramp Power, 416/240 Volts, Female [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	07-JAN-2009
M	MS27285C	Connector, Plug, Electrical-Ramp Power, 416/240 Volts, Female [CUST: 85 CC]	A	5935		CC	07-JAN-2009
M	MIL-PRF-83536/4B	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 5 Amperes, Permanent Magnet Drive, Magnetic Latch, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945		CC	06-JAN-2009
M	MIL-PRF-55310/32B	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1.544 MHz through 125 MHz, Hermetic Seal, Square Wave, Advanced CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955		CR	12-DEC-2008
M	MIL-PRF-19500/421G NOT 1	Semiconductor, Device, Dual Transistor, Unitized, NPN/PNP, Complementary, Silicon, Types 2N3838, 2N4854, and 2N4854U, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: AR MC MI]	A	5961		CC	09-JAN-2009
M	MIL-DTL-17060G	Motors, Alternating Current, Integral-Horsepower, Shipboard Use [CUST: SH]	A	6105		SH	08-JAN-2009
M	MIL-DTL-3661/47B	Lampholders, Housings, Indicator-Light, Watertight Style LH89 [CUST: CR AS 99 GS2] [REVIEW: 71]	A	6210		GS2	05-JAN-2009
M	MIL-DTL-16377/42B	Fixtures, Lighting; Filters, Plastic, Tubular Shaped for Fluorescent Lamps [CUST: SH]	A	6210		SH	18-DEC-2008
N	MIL-DTL-16377/78	Fixtures, Lighting; T8 Fluorescent, General Lighting, 17 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 331.1T8, 331.2T8, and 347.3T8 [CUST: CR4 SH 99] [REVIEW: 03 AS CG FAS GS2]	A	6210		SH	18-DEC-2008
N	MIL-DTL-16377/79	Fixtures, Lighting; T8 Fluorescent, General Lighting, 34 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 77.4T8, 77.5T8, 344.2T8, and 344.3T8 [CUST: CR4 SH 99] [REVIEW: 03 AS CG FAS GS2]	A	6210		SH	18-DEC-2008
N	MIL-DTL-16377/80	Fixtures, Lighting; T8 Fluorescent, General Lighting, 51 Watts, 120 Volts, 60 Hertz, Watertight Symbols 333.1T8, 333.2T8, 341.1T8, 341.2T8, 333.1T8RC, 341.4T8, 342.2T8, and 342.3T8 [CUST: CR4 SH 99] [REVIEW: 03 AS CG FAS GS2]	A	6210		SH	18-DEC-2008
N	MIL-DTL-16377/82	Fixtures, Lighting; T8 Fluorescent, Emergency Lighting, 17 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 331.1T8EM, 331.2T8EM, 347.2T8EM, and 347.3T8EM [CUST: CR4 SH 99] [REVIEW: 03 AS CG FAS GS2]	A	6210		SH	18-DEC-2008
N	MIL-DTL-16377/83	Fixtures, Lighting; T8 Fluorescent, Emergency Lighting 34 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 77.4T8EM, 77.5T8EM, 344.2T8EM, and 344.3T8EM [CUST: CR4 SH 99] [REVIEW: 03 AS CG FAS GS2]	A	6210		SH	18-DEC-2008
N	MIL-DTL-16377/84	Fixtures, Lighting; T8 Fluorescent, Emergency Lighting 54 Watts, 120 Volts, 60 Hertz, Watertight, Symbols 333.1T8EM, 333.2T8EM, 342.2T8EM, and 342.3T8EM [CUST: CR4 SH 99] [REVIEW: 03 AS CG FAS GS2]	A	6210		SH	18-DEC-2008
M	MIL-DTL-25971C	Light, Airport Traffic Control, SDU-4/U [CUST: AS 99 GS2] [REVIEW: 11]	A	6210		GS2	07-JAN-2009
M	MIL-DTL-4510F	Spotlights, Incandescent, Roof-Mounted, Automotive [CUST: 99 GS2] [REVIEW: 71]	A	6220		GS2	02-JAN-2009
M	MIL-DTL-16377/40B	Fixtures, Lighting; Locks Fluorescent Lamp [CUST: SH]	A	6250		SH	18-DEC-2008
M	MIL-DTL-16377/77A	Fixtures, Lighting; Emergency Ballast, for One 17-or 20-Watt T12 or 17-Watt T8 Fluorescent Lamp [CUST: SH]	A	6250		SH	18-DEC-2008
N	MIL-DTL-16377/81	Fixtures, Lighting; Ballast, for One 17-Watt T8 Fluorescent Lamp [CUST: CR4 SH 99] [REVIEW: 03 AS CG FAS GS2]	A	6250		SH	18-DEC-2008
M	MIL-DTL-25539C	Candles, Illuminating, Survival, High Melting Point [CUST: GL 99 IS]	A	6260		GS2	02-JAN-2009
M	A-A-59777A	Dry Filter Unit [CUST: EA SH 99] [REVIEW: GS]	A	6665	/	EA	08-JAN-2009
M	A-A-59592A	Can, Fuel, Military: 20-Liter Capacity [CUST: AT 99 IS] [REVIEW: 84 GL]	A	7240	/	AT	14-JAN-2009
M	MIL-DTL-3301D	Compound, Asphaltic, Hot-Melt (Cavity Lining) [CUST: AR OS 99] [REVIEW: 84 AS MR]	A	8030		OS	08-OCT-2008
M	MIL-DTL-14650/2G	Streamers, Marine Corps Set [CUST: IH NU] [REVIEW: CT MC]	A	8345		IH	31-DEC-2008
N	MIL-DTL-3628/252	Badge, Occupational, Force Support, Officers Basic, Senior, Master Grades, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH	10-JAN-2009
M	MIL-DTL-3943/45F	Decoration, Exceptional Civilian Service Award, National Security Agency [CUST: IH] [REVIEW: CT NS]	A	8455		IH	30-JAN-2009
M	MIL-DTL-3943/55F	Decoration, Distinguished Service Award, Defense Contract Audit Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	31-OCT-2008
M	MIL-DTL-11132/55B	Badge, Qualification, Marksmanship, Sharpshooter, ARMY JROTC [CUST: IH] [REVIEW: CT]	A	8455		IH	10-JAN-2009
M	MIL-DTL-11132/56B	Badge, Qualification, Marksmanship, Expert, ARMY JROTC [CUST: IH] [REVIEW: CT]	A	8455		IH	10-JAN-2009
N	MIL-DTL-11589/629	Ribbon, National Intelligence Exceptional Achievement Award Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	01-JAN-2009
M	A-A-20062E	Pasta, Products, Enriched and Whole Wheat [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8920	/	SS	06-JAN-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-20126F	Flour [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8920	/	SS	29-DEC-2008
M	QPL-25537-19 NOT 1	Grease, Aircraft, Helicopter Oscillating Bearing, NATO Code Number G-36 6, Metric (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		AS	15-JAN-2009
N	ASTM-A295/A295M	High-Carbon Anti-Friction Bearing Steel, Standard Specification for [CUST: MR OS]	A	9640		MR	04-DEC-2008
M	MIL-DTL-64154B	Laminate: Fiberglass-Fabric-Reinforced, Phenolic [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE MI SH]	A	CMPS		MR	17-DEC-2008
N	ASTM-A788/A788M	Steel Forgings, General Requirements, Standard Specification for [CUST: MR SH 11] [REVIEW: IS OS YD]	A	FORG		MR	19-DEC-2008
M	ITOP-5.2.500	Static Firing Tests of Solid Propellant Rocket Motors [CUST: TE]	D	ISDA		TE	01-DEC-2008
N	TOP-2-2-543	Line-Of-Sight/Non-Line-Of-Sight (LOS/NLOS) Testing Of Unmanned Ground Vehicle (UGV) Systems [CUST: TE]	A	ISDA		TE	24-NOV-2008
N	ASTM-B108/B108M	Aluminum-Alloy Permanent Mold Castings, Standard Specification for [CUST: MR SH 11] [REVIEW: AR AT CR4 MI OS YD]	A	MECA		CR	16-DEC-2008
M	ASTM-E94	Radiographic Examination, Standard Guide for [CUST: MR YD IS] [REVIEW: AR AS AT GS2 MI OS]	A	NDTI		MR	05-DEC-2008
M	SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	STDZ		SO	01-JAN-2009
M	MIL-STD-3008B	Interactive Electronic Technical Manual (IETM) Technical Data Requirements to Support the Global Combat Support System - Army (GCSS-A) [CUST: AV] [REVIEW: AC1 AR AT CR EA MI PT] [AMSC: A9047]	A	TMSS		AV	09-DEC-2008

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-45195F	Cartridge, 105MM, HE, M1 Loading, Assembling and Packing [CUST: AR]	A	1315	AR		18-NOV-2008
M	MIL-DTL-85061C	Coupling, Fuel Line, Flexible, 125 PSI [CUST: AV AS 99] [REVIEW: 11 71 AT CC MC SA SH]	A	4730	AS		07-JAN-2009
M	MIL-DTL-70329A	Nut, Plain, Round, Ball and Roller Bearings, Metric, General Specification for [CUST: AT OS 99 IS] [REVIEW: CR4 MC NS SH]	A	5310	IS		07-JAN-2009
M	MIL-DTL-70329/1A	Nut, Plain Round, Ball and Roller Bearings Narrow Series, Metric [CUST: AT OS 99 IS] [REVIEW: CR4 MC NS SH]	A	5310	IS		07-JAN-2009
M	MIL-DTL-24293B	Packing, Hydraulic, Leather, Cattlehide, Mineral-Tanned, Impregnated [CUST: SH IS]	A	5330	IS		07-JAN-2009
M	MIL-PRF-39012/100A(1) NOT 1	Connectors, Plug, Electrical, Coaxial, Radio Frequency, High Voltage (Series MHV (Cabled), Pin Contact, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS AT AV CR4 MC MI OS SH]	A	5935	CC		09-DEC-2008
M	MIL-R-83726/7E	Relays, Hybrid, Time Delay on Pickup, Type I, Class A, 2 Amperes, 2PDT, Fixed Time, 0.06 to 300 Seconds [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945	CC		05-JAN-2009
M	MIL-DTL-2486E	Cable, Special Purpose, Electrical WM-46/U [CUST: CR SH 85 CC] [REVIEW: MI]	A	6145	CC		12-JAN-2009
M	MIL-A-16288D NOT 4	Adapters, Compressed Gas Cylinder Valve Connections: General Specification for [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008
M	MIL-A-16288/5 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U. S. Regulator to German Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008
M	MIL-A-16288/7 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to Dutch Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008
M	MIL-A-16288/8 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to German Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008
M	MIL-A-16288/9 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to French Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008
M	MIL-A-16288/10 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to French Hydrogen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008
M	MIL-A-16288/11 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U. S. Regulator to German and Dutch Hydrogen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008
M	MIL-A-16288/12 NOT 4	Adapter Yoke, Compressed Gas Cylinder Valve Connections: U.S. Adapters to Dutch, French or German Acetylene Valves [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		30-DEC-2008

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS21432B NOT 4	Bearing, Roller, Needle, Track Roller, Integral Stud, Type VII, Antifriction, Inch (S/S by SAE-AS21432) [CUST: AT AS 99 GS4] [REVIEW: 84]	A	3110		GS4	05-JAN-2009
M	ASTM-B438/B438M	Bearings, Sintered Bronze (Oil-Impregnated) (S/S by ASTM-B438) [CUST: AV AS 11 GS4]	A	31GP		GS4	12-JAN-2009
M	QPL-3301-17 NOT 1	Compound, Asphaltic, Hot-Melt (Cavity Lining) (No S/S Document)	A	8030		OS	08-JAN-2009
M	MS14432 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 302 (S/S by SAE-AMS-QQ-S-763) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	MS14433 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 304 (S/S by SAE-AMS-QQ-S-763) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	MS14434 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 316 (S/S by SAE-AMS-QQ-S-763) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	MS14435 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 321 (S/S by SAE-AMS-QQ-S-763)) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	MS14436 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 347 (S/S by SAE-AMS-QQ-S-763) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	MS14437 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 403 (S/S by SAE-AMS-QQ-S-763) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	MS14438 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 410 (S/S by SAE-AMS-QQ-S-763) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	MS14439 NOT 3	Bar, Metal, Hexagon, Corrosion Resistant, Type 420 (S/S by SAE-AMS-QQ-S-763) [CUST: MR AS 99 IS] [REVIEW: 84]	A	9510		IS	07-JAN-2009
M	ASTM-A788	Steel Forgings, General Requirements (S/S by ASTM-A788/A788M) [CUST: MR SH 11] [REVIEW: IS OS YD]	A	FORG		MR	19-DEC-2008
M	ASTM-B108	Aluminum-Alloy Permanent Mold Castings (S/S by ASTM-B108/B108M) [CUST: MR SH 11] [REVIEW: AR AT CR4 MI OS YD]	A	MECA		MR	16-DEC-2008